

MATERIAL SAFETY DATA SHEET                      PAGE #1  
FOR COATINGS, RESINS AND RELATED MATERIALS  
DATE OF PREPARATION - 10/30/2002

MANUFACTURER'S NAME : Kelley Technical Coatings  
ADDRESS : 1445 South 15th Street  
ADDRESS : PO Box 3726  
ADDRESS :  
CITY, STATE : Louisville, Kentucky, 40201-3726

EMERGENCY TELEPHONE NO. DAY: (502) 636-2561- NIGHT: (800) 424-9300-  
INFORMATION TELEPHONE NO. DAY: (502) 636-2561- NIGHT: (502) 363-9721-

-----  
SECTION I -- PRODUCT IDENTIFICATION  
-----

MANUFACTURER'S CODE IDENTIFICATION :460W  
PRODUCT CLASS : Latex Paint  
TRADE NAME : PATIO TONES, WHITE  
HMIS INFORMATION : HEALTH : 01  
FLAMMABILITY : 01  
REACTIVITY : 01  
PERSONAL PROTECTIVE EQUIPMENT : REFER TO "SECTION VIII"

-----  
SECTION II -- HAZARDOUS INGREDIENTS  
-----

---- INGREDIENT ----	%BY	ACGIH	OSHA	SAR NUIS
MATERIAL DESCRIPTION	Cas	WEIGHT	T.L.V.	P.E.L 313 PGMT
PROPYLENE GLYCOL				
57-55-6	2.2071	NOT ESTAB.	NOT ESTAB.	N N
Coalescing Agent				
29911-28-2	1.4714	Not Estab.	Not Estab.	Y N

If indicated above; this material could constitute a personnel hazard.

If the CAS# field above starts with ## then this material is considered a trade secret.

-----  
SECTION III -- PHYSICAL DATA  
-----

LOWER EXPLOSION LEVEL      1.0 - 1.2

BOILING RANGE           HIGH 493 DF           LOW 365 DF  
VAPOR PRESSURE           1.00 MMHG at 68 F  
VAPOR DENSITY            N/A  
EVAPORATION RATE        N/A  
WEIGHT PER GALLON        13.6  
% VOLATILE BY VOLUME     52.46  
% VOLATILE BY WEIGHT     32.09  
VOC --- LBS/GAL        0.52     LBS/GAL No Water 0.86  
         GRAMS/LITER    61.92       GRAMS/LITER 103.28

-----  
SECTION IV -- FIRE AND EXPLOSION DATA  
-----

MATERIAL SAFETY DATA SHEET           PAGE #2

MANUFACTURER'S CODE 460W           DATE OF PREPARATION - 10/30/02  
TRADE NAME        PATIO TONES, WHITE,

FLAMMABILITY CLASSIFICATION OSHA - CLASS III-B  
DOT - NOT REGULATED  
LOWEST FLASH POINT T.C.C. 201 DF  
LOWER EXPLOSION LEVEL (LEL) 0.6%  
Extinguishing Media: (No) - Foam (No) - Alchohol Foam (No) - CO2  
                      (No) - Dry Chemical (No) - Water Fog (No) - Other  
Unusual Fire and Explosion Hazards: - None  
Special Fire Fighting Procedures: - None

-----  
SECTION V -- HEALTH HAZARD DATA  
-----

To the best of our knowledge, this product does not  
contain any carcinogenic ingredients.  
Effects of Overexposure: - None  
Primary Route(s) of Entry: (No) - Dermal (No) - Inhalation  
                              (No) - Ingestion  
Emergency and First Aid Procedures: - None  
Medical Conditions Prone to Aggravation by Exposure:  
- Pre-existing respiratory, eye and skin conditions.

-----  
SECTION VI -- REACTIVITY DATA  
-----

Stability: ( ) - Unstable (X) - Stable

Hazardous Polymerization: ( ) - May Occur (X) - Will Not Occur

Hazardous Decomposition Products: - None

Conditions to Avoid: - None

Incompatibility (Materials to Avoid): - None

-----  
SECTION VII -- SPILL OR LEAK PROCEDURES  
-----

Steps to be Taken in Case Material is Leaked or Spilled: - None

Waste Disposal Method: - None

-----  
SECTION VIII -- SAFE HANDLING AND USE INFORMATION  
-----

Respiratory Protection: - None

Ventilation: - None

Protective Gloves: - None

Eye Protection: - None

Other Protective Equipment: - None

Hygienic Practices: - Remove paint from skin contact after exposure.

MATERIAL SAFETY DATA SHEET

PAGE #3

MANUFACTURER'S CODE 460W

DATE OF PREPARATION - 10/30/02

TRADE NAME PATIO TONES, WHITE,

-----  
SECTION IX -- SPECIAL PRECAUTIONS  
-----

Precautions to be Taken in Handling and Storing: - None

Other Precautions: - None