# PDF Compressor Pro



**Supplier** 

# MATERIAL SAFETY DATA SHEET

# Rendezvous pH Up

# 1. Product And Company Identification

GLB 1400 Bluegrass Lakes Parkway Alpharetta, GA 30004 United States

**Telephone Number:** (770)521-5999 **FAX Number:** (770)521-5959 **Web Site:** www.poolspacare.com

Supplier Emergency Contacts & Phone Number CHEMTREC - DAY OR NIGHT: (800) 424-9300

<u>Manufacturer</u>

Advantis Technologies Inc. 1400 Bluegrass Lakes Parkway Alpharetta, GA 30004 United States

**Telephone Number:** (770) 521-5999 **FAX Number:** (770) 521-5959 **Web Site:** www.poolspacare.com

Manufacturer Emergency Contacts & Phone Number CHEMTREC - DAY OR NIGHT: (800) 424-9300

Issue Date: 04/18/2001

Product Name: Rendezvous pH Up CAS Number: Not Established Chemical Family: Carbonate

Chemical Formula: Proprietary Mixture

MSDS Number: 34

# 2. Composition/Information On Ingredients

	Ingredient Name	CAS Number	Percent Of Total Weight
Sodium Carbonate		497-19-8	

Ingredients listed in this section have been determined to be hazardous as defined in 29CFR 1910.1200. Materials determined to be health hazards are listed if they comprise 1% or more of the composition. Materials identified as carcinogens are listed if they comprise 0.1% or more of the composition. Information on proprietary materials is available in 29CFR 1910.1200(i)(1).

#### 3. Hazards Identification

# Primary Routes(s) Of Entry

Skin Contact

#### **Eve Hazards**

Causes eye irritation.

#### **Skin Hazards**

Causes skin irritation.

# **Ingestion Hazards**

Harmful if swallowed. If ingested, get immediate medical attention

#### **Inhalation Hazards**

May cause respiratory tract irritation.

# **Signs And Symptoms**

Irritation of Eyes, Skin and Respiratory Passages

# MATERIAL SAFETY DATA SHEET

# Rendezvous pH Up

## First Aid (Pictograms)



#### 4. First Aid Measures

#### Eye

In case of contact, hold eyelids apart and immediately flush eyes with plenty of water for at least 15 minutes. Consult Physician.

#### **Skin**

Wash the affected area under tepid running water using a mild soap.

#### **Ingestion**

DO NOT INDUCE VOMITING.If victim is fully conscious, give one or two cups of water or milk to drink. Call a physician or a poison control center immediately.

# **Inhalation**

If inhaled, remove to fresh air.

#### Note To Physician

Internal toxicity is low. Irritant effects of high concentrations may produce corneal opacities and vesicular skin reactions in humans with abraded skin only. Treatment is symptomatic and supportive.

## Fire Fighting (Pictograms)



## 5. Fire Fighting Measures

Flash Point: N/A °F

Flammability Class: NOT FLAMMABLE

# **Extinguishing Media**

Use the appropriate extinguishing media for the surrounding fire.

#### **Fire Fighting Instructions**

Firefighters should wear self-contained breathing apparatus and full protective gear.

# 6. Accidental Release Measures

Sweep up and remove immediately. Collect and dispose.

#### 7. Handling And Storage

#### **Handling And Storage Precautions**

Keep out of reach of children. Do not store with acids. Keep containers tightly closed. Store material in a cool and dry place.

# **Handling Precautions**

Avoid contact with eyes.

# **Storage Precautions**

Keep away from acids. Store in a cool dry place.

#### Work/Hygienic Practices

Use safe chemical handling procedures suitable for the hazards presented by this material.

# PDF Compressor Pro

# MATERIAL SAFETY DATA SHEET

# Rendezvous pH Up

# **Protective Clothing (Pictograms)**





#### 8. Exposure Controls/Personal Protection

#### **Engineering Controls**

Local exhaust acceptable. Special exhaust not required unless dust accumulation is a problem.

## **Eye/Face Protection**

Safety glasses with side shields or goggles recommended.

# **Skin\_Protection**

Chemical-resistant gloves.

#### **Respiratory Protection**

None normally required. If dust accumulation is a problem a dust mask is suggested.

Full Cover clothing should be worn

# 9. Physical And Chemical Properties

#### **Appearance**

Clear Solution

#### Odor

None

Chemical Type: Mixture Physical State: Solid Melting Point: 1564 °F

**Boiling Point:** DECOMPOSES °F **Specific Gravity:** 1.26 - 1.28

Percent Volitales: NOT APPLICABLE Percent VOCs: NOT APPLICABLE Vapor Pressure: NOT APPLICABLE Vapor Density: NOT APPLICABLE

pH Factor: 11-12 At a Concentration Of 1% SOLUTION IN WATER

Solubility: 32% AT 25C IN WATER Viscosity: NOT APPLICABLE

**Evaporation Rate: NOT APPLICABLE** 

## 10. Stability And Reactivity

Stability: Stable

Hazardous Polymerization: Will not occur

# Conditions To Avoid (Stability)

High Humidity Causes Caking

#### **Incompatible Materials**

All Acids, Aluminum powder, Fluorine, Molten Lithium

# **Hazardous Decomposition Products**

Toxic fumes of Na2O, CO2

# PDF Compressor Pro

# MATERIAL SAFETY DATA SHEET

# Rendezvous pH Up

# 11. Toxicological Information

#### Ingredient(s) - Toxicological Data

Sodium Carbonate TLV 10ppm

# 12. Ecological Information

No Data Available...

# 13. Disposal Considerations

Dispose in accordance with applicable federal, state and local government regulations.

## 14. Transport Information

# **Proper Shipping Name**

**NOT REGULATED** 

#### **Hazard Class**

**NOT REGULATED** 

#### **DOT Identification Number**

NONE

# 15. Regulatory Information

# **Canadian Regulatory Information**

Class D, Div 2b - Poisonous or Infectious Material: other toxic effects

# WHMIS - Canada (Pictograms)



## **NFPA**



# **HMIS**



## 16. Other Information

#### **Revision/Preparer Information**

**MSDS Preparer: JHW3** 

This MSDS Superceeds A Previous MSDS Dated: 07/24/2000

## Disclaimer

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purposes(s).

**GLB** 

Printed Using MSDS Generator™ 2000