

MATERIAL SAFETY DATA SHEET



Rendezvous Filter Fresh

1. Product And Company Identification			
Supplier GLB 1400 Bluegrass Lakes Parkway Alpharetta, GA 30004 United States Telephone Number: (770)521-5999 FAX Number: (770)521-5959 Web Site: www.poolspacare.com		Manufacturer Advantis Technologies Inc. 1400 Bluegrass Lakes Parkway Alpharetta, GA 30004 United States Telephone Number: (770) 521-5999 FAX Number: (770) 521-5959 Web Site: www.poolspacare.com	
Supplier Emergency Contacts & Phone Number CHEMTREC - DAY OR NIGHT: (800) 424-9300		Manufacturer Emergency Contacts & Phone Number CHEMTREC - DAY OR NIGHT: (800) 424-9300	
Issue Date: 05/01/2002 Product Name: Rendezvous Filter Fresh Chemical Name: Sulfuric and Hydrochloric Acid CAS Number: Not Established Chemical Family: Acid Chemical Formula: Proprietary Mixture MSDS Number: 13			
2. Composition/Information On Ingredients			
Ingredient Name	CAS Number		Percent Of Total Weight
CITRICACID	77-92-9		
HYDROCHLORIC ACID	7647-01-0		
SULFURIC ACID	7664-93-9		
Ingredients listed in this section have been determined to be hazardous as defined in 29CFR 1910.1200. Materials determined to be health hazards are listed if they comprise 1% or more of the composition. Materials identified as carcinogens are listed if they comprise 0.1% or more of the composition. Information on proprietary materials is available in 29CFR 1910.1200(i)(1).			
Hazards Identification (Pictograms)			
3. Hazards Identification			
Primary Route(s) Of Entry Skin Contact, Eye Contact			
Eye Hazards Causes irreversible eye damage.			
Skin Hazards Causes skin irritation.			
Ingestion Hazards If ingested, get immediate medical attention. Causes severe digestive tract burns.			

MATERIAL SAFETY DATA SHEET**Rendezvous Filter Fresh****3. Hazards Identification - Continued****Inhalation Hazards**

Causes respiratory tract irritation.

Signs And Symptoms

Irritation of Eyes, Skin and Respiratory Passages

First Aid (Pictograms)**4. First Aid Measures****Eye**

In case of contact, hold eyelids apart and immediately flush eyes with plenty of water for at least 15 minutes. Call a physician or a poison control center immediately.

Skin

Wash the affected area under tepid running water using a mild soap. Remove contaminated clothing and shoes.

Ingestion

DO NOT INDUCE VOMITING. Get medical attention immediately. If victim is fully conscious, give one or two cups of water or milk to drink.

Inhalation

If breathing is difficult, give oxygen. If inhaled, remove to fresh air. Consult a physician.

Fire Fighting (Pictograms)**5. Fire Fighting Measures**

Flash Point: n/a °F

Flammability Class: n/a

Extinguishing Media

Use the appropriate extinguishing media for the surrounding fire.

Fire Fighting Instructions

Firefighters should wear self-contained breathing apparatus and full protective gear.

6. Accidental Release Measures

Clean up spill immediately. Contain and/or absorb spill with inert material (e.g. sand, vermiculite). Neutralize spill area with soda ash or lime. Flush spill area with water. Use appropriate containers to avoid environmental contamination.

7. Handling And Storage**Handling And Storage Precautions**

Keep out of reach of children. Store material in a cool and dry place.

Handling Precautions

Do not get in eyes.

Storage Precautions

Keep out of reach of children. Store in a cool dry place. Avoid contact with Alkalis, Amines, and Metals

MATERIAL SAFETY DATA SHEET**Rendezvous Filter Fresh****7. Handling And Storage - Continued****Work/Hygienic Practices**

Use safe chemical handling procedures suitable for the hazards presented by this material.

Protective Clothing (Pictograms)**8. Exposure Controls/Personal Protection****Engineering Controls**

Local exhaust acceptable. Special exhaust not required

Eye/Face Protection

Faceshield over safety glasses or goggles.

Skin Protection

Plastic or rubber apron. Chemical-resistant gloves.

Respiratory Protection

None normally required.

Ingredient(s) - Exposure Limits

HYDROCHLORIC ACID

ACGIH TLV-CEILING 5 ppm

OSHA PEL-CEILING 5 ppm

SULFURIC ACID

ACGIH TLV-STEL 3 mg/m3

ACGIH TLV-TWA 1 mg/m3

OSHA PEL-TWA 1 mg/m3

9. Physical And Chemical Properties**Appearance**

Pale amber liquid

Odor

Mild

Chemical Type: Mixture

Physical State: Liquid

Melting Point: n/a °F

Boiling Point: 212 °F

Specific Gravity: 1.08

Percent Volitales: Not Determined

Vapor Pressure: Not Determined

Vapor Density: >1

pH Factor: 0-2

Solubility: Soluble in Water

Viscosity: Not Determined

Evaporation Rate: <1

10. Stability And Reactivity

Stability: Stable

Hazardous Polymerization: Will not occur

MATERIAL SAFETY DATA SHEET**Rendezvous Filter Fresh****10. Stability And Reactivity - Continued****Conditions To Avoid (Stability)**

Avoid contact with strong Amines, Alkalis, and Metals

Incompatible Materials

Alkalis, Amines and Metals

Hazardous Decomposition Products

Oxides of Nitrogen, Hydrogen, Sulfur and Carbon

11. Toxicological Information**Ingredient(s) - Carcinogenicity**

SULFURIC ACID

NTP - Listed On The National Toxicology Program

Listed In The IARC Monographs

12. Ecological Information

No Data Available...

13. Disposal Considerations

Refer to applicable local, state and federal regulations as well as industry standards.

14. Transport Information**Proper Shipping Name**

CORROSIVE LIQUIDS N.O.S. (Hydrochloric and Sulfuric Acids)

Hazard Class

8, PGII (<=1L Consumer Commodity ORM-D)

DOT Identification Number

UN1760

DOT (Pictograms)**15. Regulatory Information****Ingredient(s) - U.S. Regulatory Information**

HYDROCHLORIC ACID

SARA Title III - Section 313 Form "R"/TRI Reportable Chemical

SARA - Acute Health Hazard

SULFURIC ACID

SARA Title III - EPA Part 355 Extremely Hazardous Substance

SARA Title III - Section 313 Form "R"/TRI Reportable Chemical

SARA - Acute Health Hazard

SARA - Chronic Health Hazard

SARA - Fire Hazard

SARA - Reactivity Hazard

Ingredient(s) - State Regulations

HYDROCHLORIC ACID

New Jersey - Workplace Hazard

New Jersey - Environmental Hazard

New Jersey - Special Hazard

MATERIAL SAFETY DATA SHEET

Rendezvous Filter Fresh

15. Regulatory Information - Continued

Ingredient(s) - State Regulations - Continued

- New Jersey - TCPA Extraordinarily Hazardous Substance
- Pennsylvania - Workplace Hazard
- Pennsylvania - Environmental Hazard
- Massachusetts - Hazardous Substance
- New York City - Hazardous Substance

SULFURIC ACID

- New Jersey - Workplace Hazard
- New Jersey - Environmental Hazard
- New Jersey - Special Hazard
- Pennsylvania - Workplace Hazard
- Pennsylvania - Environmental Hazard
- California - CalARP Table 3 Regulated Substance
- Massachusetts - Hazardous Substance
- New York City - Hazardous Substance

Canadian Regulatory Information

- Class D, Div 1A - Poisonous or Infectious Material: immediate and serious toxic effects
- Class D, Div 2A,B - Poisonous or Infectious Material: other toxic effects
- Class E - Corrosive Material

NFPA	HMIS								
	<table border="1"> <tr> <td style="background-color: #00B0F0; color: white;">HEALTH</td> <td style="text-align: center;">3</td> </tr> <tr> <td style="background-color: #FF0000; color: white;">FLAMMABILITY</td> <td style="text-align: center;">0</td> </tr> <tr> <td style="background-color: #FFFF00; color: black;">REACTIVITY</td> <td style="text-align: center;">1</td> </tr> <tr> <td>PERSONAL PROTECTION</td> <td style="text-align: center;">D</td> </tr> </table>	HEALTH	3	FLAMMABILITY	0	REACTIVITY	1	PERSONAL PROTECTION	D
HEALTH	3								
FLAMMABILITY	0								
REACTIVITY	1								
PERSONAL PROTECTION	D								

16. Other Information

Revision/Preparer Information
 MSDS Preparer: JHW3

Disclaimer

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purposes(s).

GLB

Printed Using MSDS Generator™ 2000